



CREDENTIAL ORDER FORM

CONTACT INFORMATION

Name: _____ Date: _____

Company Name: _____

Phone: _____ Email: _____

PRODUCT SELECTION *(check one)*

125-kHz Proximity <i>Pyramid Series Proximity[®] Supported¹</i>			13.56-MHz MIFARE[®] Smartcard Classic	
<input type="checkbox"/> PSC-1 <input type="checkbox"/> PSI-4 <input type="checkbox"/> PSM-2P <input type="checkbox"/> PSM-2S <input type="checkbox"/> PSK-3 <input type="checkbox"/> PDT-1 <input type="checkbox"/> WRT-2+ <input type="checkbox"/> WRT-4+	Certain AWID Proximity Protocols Supported² <input type="checkbox"/> PSC-1-A <input type="checkbox"/> PSI-4-A <input type="checkbox"/> PSM-2P-A <input type="checkbox"/> PSM-2S-A <input type="checkbox"/> PSK-3-A <input type="checkbox"/> PDT-1-A <input type="checkbox"/> WRT-2-A <input type="checkbox"/> WRT-4-A	Certain HID[®] Proximity Protocols Supported³ <input type="checkbox"/> PSC-1-H <input type="checkbox"/> PSI-4-H <input type="checkbox"/> PSM-2P-H <input type="checkbox"/> PSM-2S-H <input type="checkbox"/> PSK-3-H <input type="checkbox"/> PDT-1-H <input type="checkbox"/> WRT-2-H <input type="checkbox"/> WRT-4-H	1K-byte Memory <input type="checkbox"/> DC1-1 <input type="checkbox"/> DM1-3 <input type="checkbox"/> DM1-3S <input type="checkbox"/> DK1-3 <input type="checkbox"/> WRT-2+S1 <input type="checkbox"/> WRT-4+S1	4K-byte Memory <input type="checkbox"/> DC4-1 <input type="checkbox"/> DM4-3 <input type="checkbox"/> DM4-3S <input type="checkbox"/> DK4-3 <input type="checkbox"/> WRT-2+S4 <input type="checkbox"/> WRT-4+S4

PROGRAMMING DETAILS

26-bit Wiegand:

Yes Facility Code: _____ ID Range: _____
 No

Other Format *(if applicable)*:

Format: _____ Facility Code: _____ ID Range: _____ Other: _____

CARD NUMBERING

- Sequential Matching Internal/External
- No External Card Numbering
- Sequential Internal/Sequential Non-Matching External

If non-matching selected:

Internal Card Number Start: _____ Stop: _____

External Card Number Start: _____ Stop: _____

MAXSecure[™] 4

Enabled:

Yes If yes, specify MAXSecure[™] codes to be supported: _____
 No

CARD MARKING

NOTE: If this section is not completed, Farpointe will proceed as if no preference is selected.

- No Preference (*typically results in quickest lead time*)
- Laser
- Inkjet


LASER ETCHED ARTWORK⁵

- Yes If yes, specify custom credential number: _____
- No

SLOT PUNCH (*if applicable*)

NOTE: Slot-punch only available for PVC printable credentials.

- Yes If yes, Horizontal Vertical
- No



NOTES:

- 1 Examples of supporting readers include, but are not limited to, P-300, P-400, P-500, and P-640.
- 2 Examples of supporting readers may include, but are not limited to, SP-6820, Sr-2400, and kP-6840.
- 3 Examples of supporting readers may include, but are not limited to, ProxPoint®Plus, ThinLine II®, and miniProx®.
- 4 **MAXSecure** – MAXSecure is a programming feature that integrates a high-security handshake, or code, between card, tag and reader. MAXSecure can be used to increase the security of any data format, including the industry standard 26-Bit Wiegand format, custom Wiegand formats, as well as the ABA Track II magnetic stripe format. Please refer to the MAXSecure Code Request Form (P/N: 01590-001) for more information, or call Farpointe Data.
- 5 **Laser Etched Artwork** – a URL, short sentence or small logo may be laser etched on most credentials. Please refer to the Private Label Form (P/N: 01850-001) for more information, or call Farpointe Data.

© 2015-2016 Farpointe Data, Inc. All rights reserved. Farpointe Data®, Pyramid Series Proximity®, Delta®, and Ranger® are the registered U.S. trademarks of Farpointe Data, Inc. MIFARE is a registered trademark of NXP B.V. AWID is a trademark of Applied Wireless Identifications Group. HID is a registered trademark of HID Global Corporation, an ASSA ABLOY company. All other trademarks are the property of their respective owners.

Farpointe Data, Inc.
1376 Borregas Avenue
Sunnyvale, CA 94089-1004 USA
Office: +1-408-731-8700
Fax: +1-408-731-8705
support@farpointedata.com

